

Printing date 30.01.2019 Version number 5 Revision 30.01.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Interflon Degreaser EM30+ (aerosol)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Degreaser
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Interflon b.v.

P.O. Box 1070

NL-4700 BB Roosendaal

The Netherlands

Tel: +31(0)165.55.39.11

Email: service@interflon.com

www.interflon.com

- · Further information obtainable from: Product safety department
- 1.4 Emergency telephone number: UK National Poisons Emergency number: +44 870 600 6266

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

1-methoxy-2-propanol

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

*P211* Do not spray on an open flame or other ignition source.

*P251* Do not pierce or burn, even after use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

(Contd. on page 2)



Printing date 30.01.2019 Version number 5 Revision 30.01.2019

Trade name: Interflon Degreaser EM30+ (aerosol)

(Contd. of page 1)

#### · Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Material does not meet the criteria for PBT according to Regulation (EC) No 1907/2006, Annex XIII.
- · vPvB: Material does not meet the criteria for vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Blend of solvents. Propellant gas carbon dioxide.

· Dangerous components:		
	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	50 – 100%
Reg.nr.: 01-2119463258-33	Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT SE 3, H336	
CAS: 107-98-2	1-methoxy-2-propanol	25 – 50%
EINECS: 203-539-1	Flam. Liq. 3, H226; STOT SE 3, H336	
Reg.nr.: 01-2119457435-35	-	
CAS: 124-38-9	carbon dioxide	2.5 – 10%
EINECS: 204-696-9	Press. Gas (Liq.), H280	

#### $\cdot$ SVHC

This product does not contain "very worrisome substances" (SVHC) that are very dangerous to human health or the environment. (SVHC < 0.1% (w/w) Regulation (EC) No. 1907/2006 (REACH), Article 57).

· Regulation (EC) No 648/2004 on detergents / Labelling for contents	
aliphatic hydrocarbons, non-ionic surfactants	≥30%
perfumes	

#### · Additional information:

Note: Any entry in the EC column that begins with the number "9" is a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. See Section 16 for additional CAS number information for the substance.

See SDS Section 16 for full text of hazard statements.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:

Remove person to fresh air and keep comfortable for breathing.

*In case of unconsciousness place patient stably in side position for transportation.* 

Call a POISON CENTER/doctor if you feel unwell.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

Acute and delayed effects are indicated in sections 2 and 11.

· **4.3 Indication of any immediate medical attention and special treatment needed**No further relevant information available.



Printing date 30.01.2019 Version number 5 Revision 30.01.2019

Trade name: Interflon Degreaser EM30+ (aerosol)

(Contd. of page 2)

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extingshing methods suitable to surrounding conditions

CO2, sand, powder, water spray.

Foam

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

*Use personal protective equipment (EN469).* 

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Clear spills immediately.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding  $50^{\circ}$ C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in accordance with local/regional/national/international regulations.

Observe official regulations on storing packagings with pressurised containers.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Store in a well-ventilated place.

Keep container tightly closed.

Store in a dry place.

(Contd. on page 4)



Printing date 30.01.2019 Version number 5 Revision 30.01.2019

Trade name: Interflon Degreaser EM30+ (aerosol)

(Contd. of page 3)

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store in a cool place.
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:		
107-98-2 1-methoxy-2-propanol		
WEL (Great Britain) Short-term value: 560 mg/m³, 150 ppm		
	Long-term value: 375 mg/m³, 100 ppm	
	Sk	
IOELV (EU)	Short-term value: 568 mg/m³, 150 ppm	
Long-term value: 375 mg/m³, 100 ppm		
	Skin	
124-38-9 carbon dioxide		
WEL (Great Britain) Short-term value: 27400 mg/m³, 15000 ppm		
	Long-term value: 9150 mg/m³, 5000 ppm	
IOELV (EU)	Long-term value: 9000 mg/m³, 5000 ppm	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

Respiratory protection:

Do not breathe vapour and sprayer mist.

Ventilation or extraction.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

#### Protection of hands:

For prolonged or repeated skin contact use suitable protective gloves.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Practical experience has shown that gloves of neoprene, Nitril and PVC offer sufficient protection. Breakthrough time: < 60 minutes

• Penetration time of glove material The penetration times are not determined by method EN 374 Part 3.

(Contd. on page 5)



Printing date 30.01.2019 Version number 5 Revision 30.01.2019

Trade name: Interflon Degreaser EM30+ (aerosol)

(Contd. of page 4)

· Eye protection: Not required.

· **Body protection:** Wear suitable protective clothing (EN ISO 13688).

### SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties
---

General Information

· Appearance:

Form: Aerosol
Colour: Colourless
Odour: Solvent-like
Odour threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

**Melting point/freezing point:** Not applicable. **Initial boiling point and boiling range:** 117 – 213 °C

· Flash point: 32 °C

· Flammability (solid, gas): Not applicable.

• Ignition temperature: 240 °C

• Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of explosive air/vapour

mixtures are possible.

· Explosion limits:

 Lower:
 0.6 Vol %

 Upper:
 13.1 Vol %

· Vapour pressure at 20 °C: 5000 hPa

• Density at 20 °C: 0.82 g/cm³
• Relative density Not determined.

· Vapour density
· Evaporation rate at 20 °C
Not determined.
15 (ether = 1)

· Solubility in / Miscibility with

*water at 20 °C:* 37 g/l

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

• 9.2 Other information No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No reactivity hazards known under normal storage and use conditions.
- · 10.2 Chemical stability Stable under normal storage and use conditions.

(Contd. on page 6)



Printing date 30.01.2019 Version number 5 Revision 30.01.2019

Trade name: Interflon Degreaser EM30+ (aerosol)

(Contd. of page 5)

- · Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Conditions to be avoided: sun-ray, temperatures above 50°C, open fire, piercing can.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- · 10.5 Incompatible materials: Strong oxidising agents.
- · 10.6 Hazardous decomposition products:

In case of thermal degradation hazardous gases may be formed (for example CO, CO2 and NOx).

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values	relevant	for a	classification:

#### Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

		> 5000 mg/kg (Rat) (OESO 401)
Dermal	LD50	> 5000 mg/kg (Rabbit) (OESO 402)

#### 107-98-2 1-methoxy-2-propanol

		> 5000 mg/kg (Rat) (OECD 401)
Dermal	LD50	> 15800 mg/kg (Rabbit) (OECD 402)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Repeated exposure may cause skin dryness or cracking.
- STOT SE (Specific target organ toxicity single exposure): May cause drowsiness or dizziness.
- · STOT RE (Specific target organ toxicity repeated exposure): No further relevant information available.
- · Additional toxicological information: No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

This product does not fulfil the criteria for classification of CMR (carcinogen, mutagen, toxic to reproduction).

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

Product is classified as presenting an aspiration hazard, but need not be labelled for this hazard according to point 1.3.3 of Annex I to Regulation (EC) No 1272/2008.

May be fatal if swallowed and enters airways.

- GI



Printing date 30.01.2019 Version number 5 Revision 30.01.2019

Trade name: Interflon Degreaser EM30+ (aerosol)

(Contd. of page 6)

### SECTION 12: Ecological information

#### · 12.1 Toxicity

· Aquatic toxicity:			
Hydrocarb	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		
LL50	> 1000 mg/l (Fish) 96hr		
EL50	> 1000 mg/l (Algea) 72hr		
107-98-2 1-methoxy-2-propanol			
	> 1000 mg/l (Fish) (OECD 203)		
EC50 48 hi	r > 1000 mg/l (Daphnia) (OECD 202)		

### · 12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

## Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Biodegradability 80 % (-)

## 107-98-2 1-methoxy-2-propanol

Biodegradability 96 % (-) (OECD 301E)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- PBT: Material does not meet the criteria for PBT according to Regulation (EC) No 1907/2006, Annex XIII.
- · vPvB: Material does not meet the criteria for vPvB according to Regulation (EC) No 1907/2006, Annex XIII.
- · 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Waste should not be disposed of by release to sewers. Final decisions on the appropriate waste management method, in line with regional, national and European legislation, and possible adaptation to local conditions, remains the responsibility of the waste treatment operator.

· European	· European waste catalogue		
14 06 03*	06 03* other solvents and solvent mixtures		
16 05 04*	* gases in pressure containers (including halons) containing hazardous substances		
15 01 04	metallic packaging		
HP 3	Flammable		

(Contd. on page 8)



Printing date 30.01.2019 Version number 5 Revision 30.01.2019

Trade name: Interflon Degreaser EM30+ (aerosol)

(Contd. of page 7)

HP 5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

- · Uncleaned packaging:
- · Recommendation:

 $Dispose\ of\ contents/container\ in\ accordance\ with\ local/regional/national/international\ regulations.$ 

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name ADR	1950 AEROSOLS
IMDG	AEROSOLS
IATA	AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class	2 5F Gases.
Label	2.1
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Danger code (Kemler):	Warning: Gases.
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 lit. Category A. For AEROSOLS with a capacity above 1 lit. Category B. For WASTE AEROSOLS: Category C, Clear living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 lit Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity about 1 litre: Segregation as for the appropriate subdivision of cl 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.



Printing date 30.01.2019 Version number 5 Revision 30.01.2019

Trade name: Interflon Degreaser EM30+ (aerosol)

	(Contd. of page
$\cdot$ Transport/Additional information:	
$\cdot ADR$	
· Limited quantities (LQ)	1L
· Transport category	2
· Tunnel restriction code	D
· UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.1

## SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3b FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

The following substance(s) in this product is (are) identified by the CAS number(s) shown in countries not subject to the REACH regulation.

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics: CAS 64742-48-9

· Relevant phrases (code and full text as stated in chapter 3)

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

· Classification according to Regulation (EC) No 1272/2008		
Aerosols	Bridging principles	
Specific target organ toxicity (single exposure)	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.	
Aspiration hazard	Expert judgement	
	(Contd. on page 10	



Printing date 30.01.2019 Version number 5 Revision 30.01.2019

Trade name: Interflon Degreaser EM30+ (aerosol)

(Contd. of page 9)

· Department issuing SDS: Product safety department.

· Contact:

Head Laboratory

Email: service@interflon.com

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal Concentration, 50 percent

LD50: Lethal Dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Classification, Labelling and Packaging of substances and mixtures

ECHA: European Chemicals Agency

EC50: Effective Concentration, 50 percent

IC50: Inhibitory Concentration, 50 percent

LL/EL/IL: Lethal Loading/Exposure Limit/Inhibition Limit

LL50: Lethal Loading, 50 percent

EL50: Effective Loading, 50 percent

IL50: Inhibitory Level, 50 percent

NOEC/NOEL: No Observed Effect Concentration / No Observed Effect Level

OECD: Organisation for Economic Cooperation and Development

Aerosol 1: Aerosols - Category 1

Press. Gas (Liq.): Gases under pressure – Liquefied gas

Flam. Liq. 3: Flammable liquids – Category 3

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

### · Key literature references and sources for data:

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- ECHA database on registered substances
- EU IUCLID Database
- Material suppliers' data
- \* Data compared to the previous version altered.

GR -