

SAFETY DATA SHEET Multi Surface Interior Detailer

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Multi Surface Interior Detailer

Product number NQA2439, SAPP0182A, HAPP0132A, XMKEN012A, XMKEN012B, SAPP0182B,

HAPP0132B

EU REACH registration notes This is a MIXTURE; no registration information contained in this document. Holts are classed

as Downstream User.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Car maintenance product.

1.3. Details of the supplier of the safety data sheet

Supplier Holt Lloyd Services

52 Rue des 40 Mines, 60000 - Allonne, France

Phone: +33 (0)3 64 99 00 32

info@holtsauto.com

Contact person Contact email address: info@holtsauto.com

Manufacturer Holt Lloyd International Ltd

Barton Dock Road

Stretford

Manchester

M32 0YQ - England, UK +44 (0) 161 866 4800 FAX +44 (0) 161 866 4854

www.holtsauto.com

1.4. Emergency telephone number

Emergency telephone UK - 00 44 (0) 161 866 4800 Office hrs = 0900 - 1700 hrs

Multi Surface Interior Detailer

National emergency telephone +43 1 31304 5620; chemikalien@umweltbundesamt.at (Austria)

number +32022649636; info@poisoncentre.be (Belgium)

+359 2 9154 409; poison_centre@mail.orbitel.bg (Bulgaria)

+38514686910; toksikologija@hzjz.hr (Croatia)

+35722405611; cy-chemregistry@dli.mlsi.gov.cy (Cyprus) +420267082257; biocidy@mzcr.cz (Czech Republic)

+45 72 54 40 00; mst@mst.dk (Denmark)

+372 794 3500; clp@terviseamet.ee, info@terviseamet.ee (Estonia)

+358 5052 000; kirjaamo@tukes.fi (Finland) + 33 3 83 85 21 92; bnpc@chru-nancy.fr (France) +49-30-18412-0; bfr@bfr.bund.de (Germany)

+302106479250; +302106479450; devxp.gcsl@aade.gr, environment.gcsl@aade.gr (Greece)

+36 (1) 476 1135; clp.ca@nnk.gov.hu (Hungary) +354 543 22 22; eitur@landspitali.is (Iceland)

+353 (1) 809 2166 / +353 (1) 809 2566; chemicalsinfo@beaumont.ie (Ireland)

+390649906140; inscweb@iss.it (Italy) +371 67032600; lvgmc@lvgmc.lv (Latvia) +370 70662008; aaa@aaa.am.lt (Lithuania)

+320 22649636; +352 24785551; info@poisoncentre.be; direction-sante@ms.etat.lu

(Luxembourg)

+356 2395 2000; info@mccaa.org.mt (Malta)

+31 88 75 585 61; productnotificatie@umcutrecht.nl (The Netherlands)

+4573580500; produktregisteret@miljodir.no / +47 21 07 70 00; folkehelseinstituttet@fhi.no (Norway)

+48 42 2538 400; biuro@chemikalia.gov.pl (Poland)

+351 800 250 250; ciav.tox@inem.pt (Portugal)

+40213183606; infotox@insp.gov.ro (Romania)

+7 495 621 6885; +7 495 628 1687; rtiac@mail.ru; rtiac2003@yahoo.com (Russia)

+421 2 5465 2307; ntic@ntic.sk (Slovakia) + 386 1 522 1293; gp.ukc@kclj.si (Slovenia) +34 917689800; intcf.doc@justicia.es (Spain)

+46104566750; giftinformation@gic.se (Sweden)

+44 121 507 4123; allistervale@npis.org, sallybradberry@npis.org (UK)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified
Health hazards Not Classified
Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P501 Dispose of contents/ container in accordance with national regulations.

Detergent labelling < 5% anionic surfactants, < 5% perfumes

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Multi Surface Interior Detailer

3-Butoxypropan-2-ol 1-5%

CAS number: 5131-66-8 EC number: 225-878-4

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

<1%

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

Ammonia% <1%

CAS number: 1336-21-6 EC number: 215-647-6

M factor (Acute) = 1

Classification

Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aguatic Acute 1 - H400

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Treat symptomatically.

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.

Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Get medical attention if any discomfort continues.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Get medical

attention if irritation persists after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 10 minutes. Get medical attention if any discomfort

continues.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation This is unlikely to occur but symptoms similar to those of ingestion may develop.

Ingestion May cause discomfort if swallowed.

Skin contact May be slightly irritating to skin. Prolonged skin contact may cause redness and irritation.

Eye contact May be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation.

Multi Surface Interior Detailer

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

Hazardous combustion

products

Oxides of carbon. Oxides of nitrogen.

5.3. Advice for firefighters

Protective actions during

firefighting

No specific firefighting precautions known.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid release to the environment. Do not discharge into drains or watercourses or onto the

ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect and place in suitable waste disposal containers and seal securely. Label the

containers containing waste and contaminated materials and remove from the area as soon

as possible. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in a cool and well-ventilated place. Keep only in the original container. Keep away from

food, drink and animal feeding stuffs.

Storage class Unspecified storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

3-Butoxypropan-2-ol (CAS: 5131-66-8)

Multi Surface Interior Detailer

DNEL Workers - Inhalation; Long term systemic effects: 147 mg/m³

Workers - Dermal; Long term systemic effects: 52 mg/kg/day

General population - Inhalation; Long term systemic effects: 43 mg/m³ General population - Dermal; Long term systemic effects: 22 mg/kg/day General population - Oral; Long term systemic effects: 12.5 mg/kg/day

PNEC Fresh water; 0.525 mg/l

Intermittent release; 5.25 mg/l marine water; 0.0525 mg/l

STP; 10 mg/l

Sediment (Freshwater); 2.36 mg/kg Sediment (Marinewater); 0.236 mg/kg

Soil; 0.16 mg/kg

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (CAS: 68891-38-3)

DNEL Workers - Inhalation; Long term systemic effects: 175 mg/m³

Workers - Dermal; Long term systemic effects: 2750 mg/kg/day

Workers - Dermal; Long term local effects: 132 µg/cm2

General population - Inhalation; Long term systemic effects: 52 mg/m³ General population - Dermal; Long term systemic effects: 1650 mg/kg/day

General population - Dermal; Long term local effects: 79 μg/cm2 General population - Oral; Long term systemic effects: 15 mg/kg/day

PNEC Fresh water; 0.24 mg/l

Intermittent release; 0.071 mg/l marine water; 0.024 mg/l

STP; 10 g/l

Sediment (Freshwater); 0.917 mg/kg sediment dry weight Sediment (Marinewater); 0.092 mg/kg sediment dry weight

Soil; 7.5 mg/kg soil dry weight

8.2. Exposure controls

Eye/face protection No specific eye protection required during normal use.

Hand protection No specific requirements are anticipated under normal conditions of use.

Other skin and body

protection

No specific requirements are anticipated under normal conditions of use.

Hygiene measures No specific hygiene procedures recommended but good personal hygiene practices should

always be observed when working with chemical products.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Clear.

Odour Lemon.

pH 10.4

Relative density 0.999 @ 20°C

Solubility(ies) Miscible with water.

9.2. Other information

Multi Surface Interior Detailer

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

Not applicable. Will not polymerise.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid heat. Avoid freezing.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Oxides of

nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No information available.

Acute toxicity - oral

Notes (oral LD50) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritationBased on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro

Based on available data the classification criteria are not met.

Genotoxicity - in vivo

Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Multi Surface Interior Detailer

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

Does not contain any substances known to be toxic to reproduction.

development

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not relevant.

General information No specific health hazards known.

Inhalation This is unlikely to occur but symptoms similar to those of ingestion may develop.

Ingestion May cause discomfort if swallowed.

Skin contact May be slightly irritating to skin. Prolonged and frequent contact may cause redness and

irritation.

Eye contact May be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation.

Acute and chronic health

hazards

No specific long-term effects known.

Toxicological information on ingredients.

3-Butoxypropan-2-ol

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 3300 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ > 2000 mg/kg, Dermal, Rat

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC0 > 651 ppm, Inhalation, Rat

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye Causes serious eye irritation.

damage/irritation

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Negative.

Genotoxicity - in vivoNo information available.

Multi Surface Interior Detailer

Carcinogenicity

Carcinogenicity NOAEC 11058 mg/m³, Inhalation, Rat, Mouse

Reproductive toxicity

Reproductive toxicity -

fertility

No information available.

Reproductive toxicity - - NOAEL: 1000 mg/kg/day, Oral, Rat - NOAEC: 3686 mg/m³, Inhalation, Rat -

development NOAEL: 880 mg/kg/day, Dermal, Rat

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not relevant.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Toxicological effects No information available.

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

4,100.0

Species Rat

Notes (oral LD50) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 4,100.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅ 2,000.0

mg/kg)

Species Rat

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye Causes serious eye damage.

damage/irritation

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Multi Surface Interior Detailer

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Genotoxicity - in vivoBased on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - E

fertility

Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not relevant.

.

Inhalation May cause respiratory system irritation.

Ingestion Gastrointestinal symptoms, including upset stomach.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

Ecological information on ingredients.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Ecotoxicity Harmful to aquatic life with long lasting effects.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish Not available.

Acute toxicity - aquatic

invertebrates

Not available.

Acute toxicity - aquatic plants Not available.

Acute toxicity - Not available.

microorganisms

Acute toxicity - terrestrial Not available.

Chronic aquatic toxicity

Chronic toxicity - fish early life Not available.

stage

Multi Surface Interior Detailer

Short term toxicity - embryo

and sac fry stages

Not available.

Chronic toxicity - aquatic

Not available.

invertebrates

Ecological information on ingredients.

3-Butoxypropan-2-ol

Acute aquatic toxicity

Acute toxicity - fish

LC₅₀, 96 hours: 560 mg/l, Poecilia reticulata (Guppy)

Acute toxicity - aquatic

invertebrates

EC₅o, 48 hours: > 1000 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC10, NOEC, 72 hours: 560 mg/l, Selenastrum capricornutum

Acute toxicity - microorganisms

EC₅o, 3 hours: > 1000 mg/l, Activated sludge

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Acute aquatic toxicity

Acute toxicity - fish

LC₅₀, 96 hours: > 7.1 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅o, 48 hours: 7.4 mg/l, Daphnia magna NOEC, 48 hours: 0.27 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅₀, 72 hours: 27.7 mg/l, Algae

Ammonia%

Acute aquatic toxicity

LE(C)₅₀ $0.1 < L(E)C50 \le 1$

M factor (Acute) 1

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

Ecological information on ingredients.

3-Butoxypropan-2-ol

Persistence and degradability

Rapidly degradable

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Persistence and degradability

100% 28 days Rapidly degradable

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

Ecological information on ingredients.

Multi Surface Interior Detailer

3-Butoxypropan-2-ol

Partition coefficient log Pow: 1.2

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Bioaccumulative potential BCF: < 0.3, Fish The product does not contain any substances expected to be

bioaccumulating.

Partition coefficient log Pow: 0.3

12.4. Mobility in soil

Mobility The product contains substances which are water-soluble and may spread in water systems.

Ecological information on ingredients.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvBThis product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

3-Butoxypropan-2-ol

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current UK criteria.

assessment

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

Multi Surface Interior Detailer

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

Nο

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. **Annex II of MARPOL 73/78**

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

Authorisations (SI 2020 No.

1577 Annex XIV)

No specific authorisations are known for this product.

Restrictions (SI 2020 No.

. ----

No specific restrictions on use are known for this product.

1577 Annex XVII)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Multi Surface Interior Detailer

Abbreviations and acronyms used in the safety data sheet

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ATE: Acute Toxicity Estimate.
BOD: Biochemical Oxygen Demand.
CAS: Chemical Abstracts Service.
DNEL: Derived No Effect Level.

EC50: 50% of maximal Effective Concentration.

GHS: Globally Harmonized System.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

LC50: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LOAEC: Lowest Observed Adverse Effect Concentration.

LOAEL: Lowest Observed Adverse Effect Level.

NOAEC: No Observed Adverse Effect Concentration.

NOAEL: No Observed Adverse Effect Level. NOEC: No Observed Effect Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

SVHC: Substances of Very High Concern.

UVCB - Unknown or variable composition, complex reaction products or Biological materials.

vPvB: Very Persistent and Very Bioaccumulative.

Revision date 03/08/2022

Revision 2

SDS number 21749

Hazard statements in full H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.