

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

Issuing Date 12-Jun-2023

Revision Date 10-May-2024

Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	AMSOIL Synthetic V-Twin Motorcycle Oil SAE 20W-50
Product Code(s)	MCV
Synonyms	None
Pure substance/mixture	Mixture
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Recommended use	Lubricating Oil
Uses advised against	Avoid formation of mists
1.3. Details of the supplier of the sa Manufacturer AMSOIL INC. One AMSOIL Center Superior, WI 54880, USA T: +1 715-392-7101 For further information, please con	
E-mail address	compliance@amsoil.com
1.4. Emergency telephone number	_
Emergency telephone	CHEMTREC International: +1 703-741-5970
Emergency telephone - §45 - (EC) ²	1272/2008
Europe	112
SECTION 2: Hazards ident	

Classification according to Regulation (EC) No. 1272/2008 [CLP] This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

2.2. Label elements Hazard statements Not classified. EUH210 - Safety data sheet available on request

2.3. Other hazards

Other hazards	No information available.
PBT & vPvB	None known
Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH	EC No (EU	Classification	Specific	M-Factor	M-Factor
		registration	Index No)	according to	concentration		(long-term)
		number	,	Regulation	limit (SCL)		, U,
				(EC) No.			
				1272/2008			
				[CLP]			
Base Oil	50 - 55	No data	276-738-4	Carc. 1B	-	-	-
72623-87-1		available	(649-483-00-5)	(H350)			
Base oil	1 - 5	No data	265-157-1	Carc. 1B	-	-	-
64742-54-7		available	(649-467-00-8)	(H350) (*L)			
Benzenamine,	1 - 5	No data	270-128-1	Aquatic	-	-	-
N-phenyl-, reaction		available		Chronic 3			
products with				(H412)			
2,4,4-trimethylpenten				Repr.2 (H361f)			
e				,			
68411-46-1							
Base oil	0.1 - <1	No data	265-090-8	Carc. 1B	-	-	-
64741-88-4		available	(649-454-00-7)	(H350)			
Diphenylamine	0.01 - <0.1	No data	204-539-4	Acute Tox. 3	-	-	-
122-39-4		available	(612-026-00-5)	(H301)			
				Acute Tox. 3			
				(H311)			
				Acute Tox. 3			
				(H331)			
				Eye Irrit. 2			
				(H319)			
				STOT RE 2			
				(H373)			
				Aquatic Acute			
				1 (H400)			
				Aquatic			
				Chronic 1			
				(H410)			

Additional information

The supplier declares that it can be shown that the substance(s) contain less than 3% DMSO extract as measured by IP 346

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg		Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Base Oil 72623-87-1	5000	2000	2.18	No data available	No data available
Base oil 64742-54-7	15000	5000	No data available	No data available	No data available
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	5000	2000	No data available	No data available	No data available
Base oil 64741-88-4	5000	5000	5.53	No data available	No data available
Diphenylamine 122-39-4	1120	2000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Get medical attention immediately if symptoms occur. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove person to fresh air and keep comfortable for breathing.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. Take off contaminated clothing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms	May cause gastrointestinal discomfort if consumed in large amounts. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation in susceptible persons. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing.
Effects of Exposure	None.
4.3. Indication of any immediate me	edical attention and special treatment needed
Note to doctors	Treat symptomatically.
SECTION 5: Firefighting m	neasures
5.1. Extinguishing media	
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Containers can burst or explode when heated, due to excessive pressure build-up.
Hazardous combustion products	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
5.3. Advice for firefighters	
Specific/special fire-fighting measures	Fires need to be assessed to determine appropriate protocols and safety measures for firefighting, including establishing safe zones, extinguishing media to be used, firefighter protection, and actions to control or extinguish the fire.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. See section 8 for more information.			
For emergency responders	Use personal protection recommended in Section 8.			
6.2. Environmental precautions				
Environmental precautions	See Section 12 for additional Ecological Information.			
6.3. Methods and material for contai	nment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Clean contaminated surface thoroughly.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
6.4. Reference to other sections				
Reference to other sections	For additional information see: Section 8: Exposure controls/personal protection; Section 12: Ecological information; Section 13: Disposal considerations.			

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Avoid contact with used product. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or

smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Do not reuse empty containers. Store away from incompatible materials. See section 10 for more information. Keep containers tightly closed in a cool, well-ventilated place.
Storage class (TRGS 510)	LGK 10.
7.3. Specific end use(s)	
Specific use(s).	The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. Under conditions which may generate mists, the following exposure limits are recommended: Long-term exposure limit (8-hour TWA): 5 mg/m³. Short-term exposure limit (15-minute): 10 mg/m³.

Chemical name	European Union	Austria	Belgium	Bu	Igaria	Croatia
Diphenylamine	-	TWA: 0.7 ppm	TWA: 10 mg/m ³	TWA:	10 mg/m ³	TWA: 10 mg/m ³
122-39-4		TWA: 5 mg/m ³				STEL: 20 mg/m ³
		STEL 1.4 ppm				
		STEL 10 mg/m ³				
		Sk*				
Chemical name	Cyprus	Czech Republic	Denmark		stonia	Finland
Diphenylamine	-	TWA: 10 mg/m ³	TWA: 5 mg/m ³	TWA:	10 mg/m³	TWA: 5 mg/m ³
122-39-4		Sk*	STEL: 10 mg/m ³			STEL: 10 mg/m ³
		Ceiling: 20 mg/m ³				
Chemical name	France	Germany TRGS	Germany DFG	Gi	reece	Hungary
Diphenylamine	TWA: 10 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA:	10 mg/m ³	-
122-39-4		Sk*	Peak: 10 mg/m ³	STEL:	20 mg/m ³	
			Sk*			
Chemical name	Ireland	Italy MDLPS	Italy AIDII	La	atvia	Lithuania
Diphenylamine	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³		-	TWA: 4 mg/m ³
122-39-4	STEL: 20 mg/m ³					STEL: 12 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	No	orway	Poland
Diphenylamine	-	-	-	TWA:	5 mg/m ³	TWA: 8 mg/m ³
122-39-4				STEL: 10 mg/m ³		
Chemical name	Portugal	Romania	Slovakia	Slovenia		Spain
Diphenylamine	TWA: 10 mg/m ³	TWA: 4 mg/m ³	-	TWA: 5 mg/m ³		TWA: 10 mg/m ³
122-39-4		STEL: 6 mg/m ³		STEL:	10 mg/m ³	-
					Sk*	
Chemical name	S	Sweden	Switzerland	United Kingdor		ted Kingdom
Diphenylamine	NG	/: 4 mg/m ³	TWA: 10 mg/m	3	TW	'A: 10 mg/m ³
122-39-4	Vägledand	e KGV: 12 mg/m ³	Sk*			EL: 20 mg/m ³

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Diphenylamine	-	Check	-	-	-
122-39-4		10 g/dL Hemoglobin			
		(blood - not			
		provided)			
		12 g/dL Hemoglobin			

(blood - not
provided)
79 - 97 fL mean
corpuscular volume
(blood - not
provided)
3.2 million/µL
Erythrocytes (blood -
not provided)
3.8 million/µL
Erythrocytes (blood -
not provided)
4000 Leukocytes/µL
(blood - not
provided)
13000
Leukocytes/µL //bloodpot
(blood - not
provided)
Thrombocytes/µL
(blood - not
provided)
150000
Thrombocytes/µL
(blood - not
provided)
<=50 U/I (- Serum
transaminases
SGOT not provided)
<=35 U/I (- Serum
transaminases
SGOT not provided)
<=50 U/I (- Serum
transaminases
SGPT not provided)
<=35 U/I (- Serum
transaminases
SGPT not provided)
<=66 U/I (- Serum
transaminases GGT
not provided)
<=39 U/I (- Serum
transaminases GGT
not provided)
(urine - one time
yearly urine
cytological
examination)

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Base Oil	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m ³ [4] [6]
72623-87-1			5.58 mg/m ³ [5] [6]
Base oil	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m ³ [4] [6]
64742-54-7			5.58 mg/m ³ [5] [6]
Benzenamine, N-phenyl-, reaction	-	0.08 mg/kg bw/day [4] [6]	0.6 mg/m³ [4] [6]
products with 2,4,4-trimethylpentene			

Chemical name	Oral	Dermal	Inhalation
68411-46-1			
Base oil 64742-65-0	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m ³ [4] [6] 5.58 mg/m ³ [5] [6]
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) 2215-35-2	-	12.2 mg/kg bw/day [4] [6]	8.6 mg/m³ [4] [6]
Base oil 64741-88-4	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m ³ [4] [6] 5.58 mg/m ³ [5] [6]
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts 68457-79-4	-	11.87 mg/kg bw/day [4] [6]	8.13 mg/m³ [4] [6]
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) 4259-15-8	-	9.6 mg/kg bw/day [4] [6]	6.6 mg/m³ [4] [6]
Base oil 72623-86-0	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m³ [4] [6] 5.58 mg/m³ [5] [6]
Base oil 8042-47-5	-	217.05 mg/kg bw/day [4] [6]	164.56 mg/m ³ [4] [6]
Base oil 64742-70-7	_	0.97 mg/kg bw/day [4] [6]	2.73 mg/m ³ [4] [6] 5.58 mg/m ³ [5] [6]
Base oil 64742-56-9	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m³ [4] [6] 5.58 mg/m³ [5] [6]

Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Base Oil 72623-87-1	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m³ [5] [6]
Base oil 64742-54-7	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m³ [5] [6]
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.04 mg/kg bw/day [4] [6]	-	0.14 mg/m³ [4] [6]
Base oil 64742-65-0	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m³ [5] [6]
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) 2215-35-2	0.24 mg/kg bw/day [4] [6]	-	2.13 mg/m³ [4] [6]
Base oil 64741-88-4	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m³ [5] [6]
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts 68457-79-4	0.24 mg/kg bw/day [4] [6]	-	2.06 mg/m ³ [4] [6]
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) 4259-15-8	0.19 mg/kg bw/day [4] [6]	-	1.67 mg/m³ [4] [6]
Base oil 72623-86-0	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m³ [5] [6]

Chemical name	Oral	Dermal	Inhalation
Base oil 8042-47-5	25 mg/kg bw/day [4] [6]	-	34.78 mg/m ³ [4] [6]
Base oil 64742-70-7	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m³ [5] [6]
Base oil 64742-56-9	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m³ [5] [6]

Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.0338 mg/L	0.51 mg/L	0.00338 mg/L	-	-
Zinc O,O,O',O'-tetrakis(1,3-dim ethylbutyl) bis(phosphorodithioate) 2215-35-2	4 µg/L	45 µg/L	4.6 µg/L	-	-
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts 68457-79-4	4 µg/L	45 µg/L	4.6 µg/L	-	-
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) 4259-15-8	4 µg/L	44 µg/L	4.6 µg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Base Oil 72623-87-1	-	-	-	-	9.33 mg/kg food
2-ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate 126-57-8	-	-	7.9 mg/L	-	-
Base oil 64742-54-7	-	-	-	-	9.33 mg/kg food
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.446 mg/kg sediment dw	0.0446 mg/kg sediment dw	10 mg/L	1.76 mg/kg soil dw	-
Base oil 64742-65-0	-	-	-	-	9.33 mg/kg food
Zinc O,O,O',O'-tetrakis(1,3-dim ethylbutyl)	0.074 mg/kg sediment dw	0.0074 mg/kg sediment dw	100 mg/L	0.01 mg/kg soil dw	10.67 mg/kg food

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
bis(phosphorodithioate) 2215-35-2					
Base oil 64741-88-4	-	-	-	-	9.33 mg/kg food
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts 68457-79-4	0.0244 mg/kg sediment dw	0.00244 mg/kg sediment dw	100 mg/L	0.00249 mg/kg soil dw	10.67 mg/kg food
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) 4259-15-8	0.322 mg/kg sediment dw	0.0322 mg/kg sediment dw	3.8 mg/L	0.0619 mg/kg soil dw	8.33 mg/kg food
Base oil 72623-86-0	-	-	-	-	9.33 mg/kg food
Base oil 64742-70-7	-	-	-	-	9.33 mg/kg food
Base oil 64742-56-9	-	-	-	-	9.33 mg/kg food

8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment	
Eye/face protection	If there is a risk of contact: Wear safety glasses with side shields (or goggles).
Hand protection	If there is a risk of contact: Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Wear suitable gloves.
Skin and body protection	If there is a risk of contact: Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.
Environmental exposure controls	Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical an Appearance	nd chemical properties	
Physical state	Liquid	
Colour	Amber	
Odour	Mild hydrocarbon	
Odour threshold	No information available	
<u>Property</u> Melting point / freezing point Initial boiling point and boiling range	<u>Values</u>	Remarks • Method No data available No data available

Flammability Flammability Limit in Air		No data available		
Upper flammability or explosive limits		No data available		
Lower flammability or explosive limits		No data available		
Flash point Autoignition temperature Decomposition temperature pH	228 °C	Cleveland Open Cup ASTM D 92 No data available No data available No data available		
pH (as aqueous solution) Kinematic viscosity	132.8 cSt at 40 °C	No data available ASTM D445		
Dynamic viscosity Water solubility Solubility(ies) Partition coefficient Vapour pressure Relative density Bulk density Liquid Density Relative vapour density Particle characteristics Particle Size Particle Size Distribution	18.5 cSt at 100 ⁰C 0.8708	No data available No data available		
9.2. Other information Pour Point	-41°C [ASTM D 97]			
9.2.1. Information with regards to physical hazard classes Not applicable				
9.2.2. Other safety characteristics No information available Fire Point	272ºC (COC) [ASTM D 92]			
SECTION 10: Stability and	reactivity			
10.1. Reactivity				
Reactivity	None under normal use conditions.			
10.2. Chemical stability				
Stability	Stable under normal conditions.			
Explosion data Sensitivity to mechanical impace Sensitivity to static discharge	ct None. None.			
10.3. Possibility of hazardous react	tions			
Possibility of hazardous reactions	None under normal processing.			
10.4. Conditions to avoid				
Conditions to avoid	None known based on information su	oplied.		

10.5. Incompatible materials

Incompatible materials

None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapours. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

SymptomsMay cause gastrointestinal discomfort if consumed in large amounts. Repeated or
prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation in
susceptible persons. Symptoms of overexposure are dizziness, headache, tiredness,
nausea, unconsciousness and difficulty breathing.

Acute toxicity

Numerical measures of toxicity

Based on available data, the classification criteria are not met

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Base Oil	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.53 mg/L (Rat)4 h
72623-87-1			
Base oil	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	> 5530 mg/m ³ (Rat)4 h
64742-54-7			
Benzenamine, N-phenyl-, reaction	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
products with 2,4,4-trimethylpentene			
68411-46-1			
Base oil	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5530 mg/m ³ (Rat)4 h
64741-88-4			
Diphenylamine	= 1120 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
122-39-4			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Component Information	
Benzenamine, N-phenyl-, reaction proc	ducts with 2,4,4-trimethylpentene (68411-46-1)
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion
Species	Rabbit
Exposure route	Dermal
Effective dose	0.5 mL

Exposure time	4 hours
Results	Mild skin irritant

Serious eye damage/eye irritation No information available. Component Information Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) Method OECD Test No. 405: Acute Eye Irritation/Corrosion Species Rabbit Exposure route Eye Effective dose 0.1 mL Results non-irritant

Respiratory or skin sensitisation	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	The supplier declares that it can be shown that the substance(s) contain less than 3% DMSO extract as measured by IP 346.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Base Oil	Carc. 1B
Base oil	Not classified
Base oil	Carc. 1B

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	Due to the viscosity, this product does not present an aspiration hazard.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties		
Endocrine disrupting properties	Based on available data, the classification criteria are not met	

11.2.2. Other information

Other adverse effects

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Not considered to be harmful to aquatic life. Large or frequent spills may have hazardous effects on the environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Base Oil	-	LC50: >5000mg/L (96h,	-	EC50: >1000mg/L (48h,
72623-87-1		Oncorhynchus mykiss)		Daphnia magna)

Base oil 64742-54-7	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Benzenamine, N-phenyl-,		LC50: >100mg/L (96h,		Daprina magna)
reaction products with	EC50: 51mg/L (48h, Daphnia magna)	J	-	-
2,4,4-trimethylpentene 68411-46-1				
Base oil	-	LC50: >5000mg/L (96h,	-	EC50: >1000mg/L (48h,
64741-88-4		Oncorhynchus mykiss)		Daphnia magna)
Diphenylamine	EC50: =1.5mg/L (72h,	LC50: 3.47 - 4.14mg/L	-	EC50: 1.69 - 2.46mg/L
122-39-4	Scenedesmus	(96h, Pimephales		(48h, Daphnia magna)
	subspicatus)	promelas)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	6.66
Diphenylamine	3.4

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
Base Oil	The substance is not PBT / vPvB
72623-87-1	
Base oil	The substance is not PBT / vPvB
64742-54-7	
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	The substance is not PBT / vPvB
68411-46-1	
Base oil	The substance is not PBT / vPvB
64741-88-4	

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
Waste codes / waste designations according to EWC / AVV	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IMDG14.1UN number or ID number14.2UN proper shipping name14.3Transport hazard class(es)14.4Packing group14.5Environmental hazards14.6Special Precautions for Users Special Provisions14.7Maritime transport in bulk according to IMO instruments	Not regulated Not regulated Not regulated Not regulated Not applicable Not applicable None No information available
RID14.1UN number or ID number14.2UN proper shipping name14.3Transport hazard class(es)14.4Packing group14.5Environmental hazards14.6Special Precautions for Users Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable Not applicable None
ADR 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special Precautions for Users Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable Not applicable
ADN 14.1 UN/ID no 14.2 EPNN 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazard 14.6 Special Precautions for Users Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable Not applicable
IATA 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special Precautions for Users Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable Not applicable None

Note:

None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Chemical name	French RG number
Diphenylamine	RG 15,RG 15bis
122-39-4	

Germany

Water hazard class (WGK) strongly hazardous to water (WGK 3)

TA Luft (German Air Pollution Control Regulation)

Class NK (Nicht Kassifiziert-Not Classified)

Technical Share of Air (%) No information available

Chemical name	Number	Class
Diphenylamine	5.2.5	Class I

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Base Oil - 72623-87-1	28	-
	75	
Base oil - 64742-54-7	28	-
	75	
Base oil - 64741-88-4	28	-
	75	
Diphenylamine - 122-39-4	75	-

Persistent Organic Pollutants

Not applicable

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex
	Number
Diphenylamine - 122-39-4	l.1
	1.2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment

Chemical Safety Report

No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H350 - May cause cancer H361f - Suspected of damaging fertility H412 - Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)
Ceiling	Maximum limit value
SCBA	Self-contained breathing apparatus

STEL Sk* STEL (Short Term Exposure Limit) Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	On basis of test data
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC) European Chemicals Agency (ECHA) (ECHA_API) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set World Health Organization

Issuing Date	12-Jun-2023
Revision Date	10-May-2024
Revision Note	Change to composition. Change in classification. SDS sections updated: 2, 3, 4, 8, 11, 15.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet