

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

Issuing Date 13-May-2024 Revision Date 13-May-2024 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name AMSOIL 100% Synthetic 4T Performance 4-Stroke Motorcycle Oil SAE 10W-40

Product Code(s) MC4

Synonyms None

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses

advised against

Recommended use Lubricating Oil

Uses advised against Avoid formation of mists

1.3. Details of the supplier of the safety data sheet

Supplier
AMSOIL INC.
One AMSOIL Center
Superior, WI 54880, USA
T: +1 715-392-7101

For further information, please contact

E-mail address compliance@amsoil.com

1.4. Emergency telephone number

Emergency telephone CHEMTREC International: +1 703-741-5970

Emergency telephone - §45 - (EC)1272/2008 Europe 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

2.2. Label elements

Hazard statements

Not classified.

EUH210 - Safety data sheet available on request

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

(M)SDS Number UL-ASL-326

2.3. Other hazards

Other hazards No information available.

PBT & vPvB None known

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Base oil 64742-54-7	80-85	No data available	265-157-1 (649-467-00-8)	Carc. 1B (H350) (*L)	-	-	-
Base oil 64742-65-0	5-10	No data available	265-169-7 (649-474-00-6)	Carc. 1B (*L) (H350)	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
			hour - dust/mist -	hour - vapour - mg/L	hour - gas - ppm
			mg/L		
Base oil	15000	5000	No data available	No data available	No data available
64742-54-7					
Base oil	15000	5000	2.4	No data available	No data available
64742-65-0					

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Get medical attention immediately if symptoms occur. Show this safety data sheet to the

doctor in attendance.

Inhalation Remove person to fresh air and keep comfortable for breathing.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and

Revision Date: 13-May-2024

persists.

Skin contact Wash skin with soap and water. Take off contaminated clothing. Get medical attention if

irritation develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause temporary eye irritation. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhoea. Repeated or prolonged skin contact may cause skin irritation and/or

dermatitis and sensitisation in susceptible persons. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing.

Effects of Exposure None.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing mediaDo not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Containers can burst or explode when heated, due to excessive pressure build-up. Thermal

decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

5.3. Advice for firefighters

Specific/special fire-fighting

measures

Fires need to be assessed to determine appropriate protocols and safety measures for firefighting, including establishing safe zones, extinguishing media to be used, firefighter

protection, and actions to control or extinguish the fire.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. See section 8

for more information.

6.2. Environmental precautions

Revision Date: 13-May-2024 **Oil SAE 10W-40**

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. **Methods for containment**

Methods for cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local /

national regulations (see Section 13). Clean contaminated surface thoroughly.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

For additional information see: Section 8: Exposure controls/personal protection; Section Reference to other sections

12: Ecological information; Section 13: Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

used product. Do not eat, drink or smoke when using this product. Take off contaminated

clothing and wash it before reuse. Wash thoroughly after handling.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Do not reuse empty

containers. Store away from incompatible materials. See section 10 for more information.

Protect from physical damage.

Storage class (TRGS 510) LGK 10.

7.3. Specific end use(s)

Specific use(s). The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Under conditions which may generate mists, the following exposure limits are

recommended: Long-term exposure limit (8-hour TWA): 5 mg/m3. Short-term exposure limit

(15-minute): 10 mg/m³.

Biological occupational exposure

limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
---------------	------	--------	------------

Chemical name	Oral	Dermal	Inhalation
Base oil 64742-54-7	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m³ [4] [6] 5.58 mg/m³ [5] [6]
Base oil 64742-65-0	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m³ [4] [6] 5.58 mg/m³ [5] [6]
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts 84605-29-8	-	12.1 mg/kg bw/day [4] [6]	8.31 mg/m³ [4] [6]
Ethylbenzene 100-41-4	-	180 mg/kg bw/day [4] [6]	77 mg/m³ [4] [6] 293 mg/m³ [5] [7]
Toluene 108-88-3	-	384 mg/kg bw/day [4] [6]	192 mg/m³ [4] [6] 384 mg/m³ [4] [7] 192 mg/m³ [5] [6] 384 mg/m³ [5] [7]

Notes

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Base oil 64742-54-7	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m³ [5] [6]
Base oil 64742-65-0	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m³ [5] [6]
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts 84605-29-8	0.24 mg/kg bw/day [4] [6]	-	2.11 mg/m³ [4] [6]
Ethylbenzene 100-41-4	1.6 mg/kg bw/day [4] [6]	-	15 mg/m³ [4] [6]
Toluene 108-88-3	8.13 mg/kg bw/day [4] [6]	-	56.5 mg/m³ [4] [6] 226 mg/m³ [4] [7] 56.5 mg/m³ [5] [6] 226 mg/m³ [5] [7]

Notes

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater	Marine water	Marine water	Air
		(intermittent release)		(intermittent release)	
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts 84605-29-8	4 μg/L	45 μg/L	4.6 μg/L	-	-

Chemical name	Freshwater	Freshwater	Marine water	Marine water	Air
		(intermittent release)		(intermittent release)	
Oct-1-ene 111-66-0	0.012 mg/L	0.012 mg/L	0.012 mg/L	-	-
Toluene 108-88-3	0.68 mg/L	0.68 mg/L	0.68 mg/L	-	<u>-</u>

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Base oil 64742-54-7	•	•	-	-	9.33 mg/kg food
Base oil 64742-65-0	-	-	-	-	9.33 mg/kg food
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts 84605-29-8	0.02203 mg/kg sediment dw	0.002203 mg/kg sediment dw	100 mg/L	0.00206 mg/kg soil dw	10.67 mg/kg food
Oct-1-ene 111-66-0	6.06 mg/kg sediment dw	6.06 mg/kg sediment dw	-	1.25 mg/kg soil dw	-
Toluene 108-88-3	16.39 mg/kg sediment dw	16.39 mg/kg sediment dw	13.61 mg/L	2.89 mg/kg soil dw	-

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection If there is a risk of contact: Wear safety glasses with side shields (or goggles). Eye

protection must conform to standard EN 166.

Hand protection If there is a risk of contact: Wear suitable gloves to avoid itching. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN

374.

Skin and body protection If there is a risk of contact: Wear suitable protective clothing. (EN 14058).

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

Environmental exposure controls Avoid release to the environment. Local authorities should be advised if significant spillages

cannot be contained.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid Colour Amber

Odour Mild hydrocarbon
Odour threshold No information available

PropertyValuesRemarks • MethodMelting point / freezing pointNo data availableInitial boiling point and boiling rangeNo data availableFlammabilityNo data available

Flammability Limit in Air

Upper flammability or explosive

limits

Lower flammability or explosive No data available

limits

Flash point 240 °C Cleveland Open Cup ASTM D 92

No data available

Autoignition temperature

Decomposition temperature

pH

pH (as aqueous solution)

Kinematic viscosity

No data available

ASTM D445

14.2 cSt at 100 °C

Dynamic viscosityNo data availableWater solubilityNo data availableSolubility(ies)No data availablePartition coefficientNo data availableVapour pressureNo data availableRelative density0.8519No data availableBulk densityNo data available

Bulk density
Liquid Density
No data available
Relative vapour density
No data available
Particle characteristics

Particle SizeNo data availableParticle Size DistributionNo data available

9.2. Other information

Pour Point -36°C [ASTM D 97]

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

Fire Point 258°C (COC) [ASTM D 92]

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Oil SAE 10W-40

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapours. Carbon

monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eve contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

May cause temporary eye irritation. Ingestion may cause gastrointestinal irritation, nausea, **Symptoms**

vomiting and diarrhoea. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing. Repeated or prolonged skin contact may

cause skin irritation and/or dermatitis and sensitisation in susceptible persons.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Base oil 64742-54-7	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 5530 mg/m³ (Rat) 4 h	
Base oil 64742-65-0	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 5530 mg/m³(Rat)4 h	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity The supplier declares that it can be shown that the substance(s) contain less than 3%

DMSO extract as measured by IP 346.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Base oil	Not classified
Base oil	Carc. 1B

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposureBased on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Due to the viscosity, this product does not present an aspiration hazard.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Large or frequent spills may have hazardous effects on the environment.

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

	Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
				microorganisms	
ſ	Base oil	-	LC50: >5000mg/L (96h,	-	EC50: >1000mg/L (48h,
	64742-54-7		Oncorhynchus mykiss)		Daphnia magna)
Ī	Base oil	-	LC50: >5000mg/L (96h,	-	EC50: >1000mg/L (48h,
	64742-65-0		Oncorhynchus mykiss)		Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
Base oil 64742-54-7	The substance is not PBT / vPvB
Base oil 64742-65-0	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects No information available.

Based on available data, the classification criteria are not met. PMT or vPvM properties

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Waste codes / waste designations

according to EWC / AVV

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application

for which the product was used.

SECTION 14: Transport information

Not regulated IMDG 14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not applicable Not applicable 14.5 Environmental hazards

14.6 Special Precautions for Users

Special Provisions None

14.7 Maritime transport in bulk according to IMO instruments

No information available

RID Not regulated Not regulated 14.1 UN number or ID number 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not applicable

14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users

Special Provisions None

ADR Not regulated 14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated Not applicable 14.4 Packing group 14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users

Special Provisions None

Not regulated <u>ADN</u> 14.1 UN/ID no Not regulated Not regulated 14.2 EPNN 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not applicable 14.5 Environmental hazard Not applicable

14.6 Special Precautions for Users

Special Provisions None

IATA Not regulated 14.1 UN number or ID number Not regulated Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not applicable 14.4 Packing group 14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users

Special Provisions None Note: None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Base oil - 64742-54-7	28 75	-
Base oil - 64742-65-0	28 75	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H350 - May cause cancer

Legend

SVHC: Substances of Very High Concern for Authorisation:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

SCBA Self-contained breathing apparatus

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method

Ozone Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 13-May-2024

Revision Date 13-May-2024

Revision Note Initial Release.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet